



**Ortho Implants**  
[www.advinortho.com](http://www.advinortho.com)

## Dynamic Compression Plates (D.C. Plate)



### 3.5mm Small Compression (DCP) Plate

Holes : 4 to 12 Holes

Fixation With : 3.5mm Screw

### 4.5mm Narrow Compression (DCP) Plate

Holes : 4 to 13 Holes

Fixation With : 4.5mm Screw



### 4.5mm Borad Compression (DCP) Plate

Holes : 5 to 13 Holes

Fixation With : 4.5mm Screw



# ◆ Bone Plates

## Low Contact Dynamic Compression Plates (L.C.D.C. Plate)



### 3.5mm Small Compression (LC -DCP) Plate

Holes : 4 to 13 Holes

Fixation With : 3.5mm Screw

### 4.5mm Narrow Compression (LC -DCP) Plate

Holes : 4 to 13 Holes

Fixation With : 4.5mm Screw



### 4.5mm Borad Compression (LC -DCP) Plate

Holes : 5 to 13 Holes

Fixation With : 4.5mm Screw



## Tubular Plate



### 3.5mm One Third Tubular Plate

Holes : 3 to 10 Holes

Fixation With : 3.5mm Screw

### 4.5mm Semi Tubular Plate

Holes : 3 to 10 Holes

Fixation With : 4.5mm Screw



## Condylar Buttress Plates (C.B.P)



### 4.5mm Condylar Buttress (C.B.P) Plates for Legs

Holes : 7 to 15 Holes

Fixation With : 4.5mm Screw

## T Plate



### 4.5mm T Plate

Holes : 3 to 12 Holes

Fixation With : 4.5mm Screw

### 4.5mm T Buttress Plate

Holes : 4 to 12 Holes

Fixation With : 4.5mm Screw



## Small T Plate



### 3.5mm Small T Plates Right Angled

Holes : 3 to 9 Holes

Fixation With : 3.5mm Screw

## Small T Plate



3.5mm Small T Plates  
Oblique Angled

Holes : 3 to 9 Holes

Fixation With : 3.5mm Screw

## DHS Barrel Plate (Dynamic Hip Screw Barrel Plate)

DHS Barrel Plate Round Hole  
(120', 125', 130', 135', 140', 145')

Holes : 4 to 16 Holes

Fixation With : 4.5mm Screw



DHS Barrel Plate DCP Hole  
(120', 125', 130', 135', 140', 145')

Holes : 4 to 16 Holes

Fixation With : 4.5mm Screw

## Lateral Tibia Buttress Plates



4.5mm Lateral Tibia Buttress Plates  
for Right Leg

Holes : 5 to 13 Holes

Fixation With : 4.5mm Screw

4.5mm Lateral Tibia Buttress Plates  
for Left Leg

Holes : 5 to 13 Holes

Fixation With : 4.5mm Screw



DCS Barrel Plate  
(Dynamic Compression Screw Barrel Plate)



95° DCS Barrel Plate  
Round Hole

Holes : 6 to 14 Holes

Fixation With : 4.5mm & 6.5mm Screw

# ◆ Bone Plates

## DCS Barrel Plate (Dynamic Compression Screw Barrel Plate)



### 95° DCS Barrel Plate DCP Hole

Holes : 6 to 14 Holes

Fixation With : 4.5mm & 6.5mm Screw

## Reconstruction Plates

### 3.5mm "Y" Reconstruction Plates

Holes : 3 to 6 Holes

Fixation With : 3.5mm Screw



### 3.5mm Reconstruction Plates (DC Hole)

Holes : 5 to 12 Holes

Fixation With : 3.5mm Screw

## Reconstruction Plates



### 3.5mm Reconstruction Plates (Round Hole)

Holes : 5 to 12 Holes

Fixation With : 3.5mm Screw

### 4.5mm Reconstruction Plates (DC Hole)

Holes : 5 to 12 Holes

Fixation With : 4.5mm Screw



### 4.5mm Reconstruction Plates (Round Hole)

Holes : 5 to 12 Holes

Fixation With : 4.5mm Screw



## Cortex Screw / Cortical Screw



3.5mm Cortex Screw  
(14 TPI)

Thread Diameter : 3.5mm  
Length : 10mm to 50mm

3.5mm Cortex Screw  
(20 TPI)

Thread Diameter : 3.5mm  
Length : 10mm to 50mm



4.5mm Cortex Screw

Thread Diameter : 4.5mm  
Length : 12mm to 70mm



## Cannulated Cancellous Screw



4.0mm Cannulated Cancellous Screw  
(Short Threaded)

Thread Diameter : 4mm  
Length : 10mm to 75mm

4.0mm Cannulated Cancellous Screw  
(Full Threaded)

Thread Diameter : 4mm  
Length : 10mm to 75mm



6.5mm Cannulated Cancellous Screw  
(16mm Threaded)

Thread Diameter : 6.5mm  
Length : 30mm to 115mm

## Cannulated Cancellous Screw



6.5mm Cannulated Cancellous Screw  
(32mm Threaded)

Thread Diameter : 6.5mm  
Length : 45mm to 115mm

6.5 mm Cannulated Cancellous Screw  
(Full Threaded)

Thread Diameter : 6.5mm  
Length : 25mm to 115mm



7.0mm Cannulated Cancellous Screw  
(16mm Threaded)

Thread Diameter : 7mm  
Length : 30mm to 110mm

## Cannulated Cancellous Screw



7.0mm Cannulated Cancellous Screw  
(32mm Threaded)

Thread Diameter : 7mm  
Length : 45mm to 115mm

7.0mm Cannulated Cancellous Screw  
(Full Threaded)

Thread Diameter : 7mm  
Length : 45mm to 115mm



Cancellous Screw



4.0mm Cancellous Screw  
(Short Threaded)

Thread Diameter : 4mm  
Length : 65mm

## Cancellous Screw



4.0mm Cancellous Screw  
(Full Threaded)

Thread Diameter : 4mm  
Length : 65mm

6.5mm Cancellous Screw  
(16mm Threaded)

Thread Diameter : 6.5mm  
Length : 20mm to 110 mm



6.5mm Cancellous Screw  
(32mm Threaded)

Thread Diameter : 6.5mm  
Length : 40mm to 115mm



## Cancellous Screw



6.5mm Cancellous Screw  
(Full Threaded)

Thread Diameter : 6.5mm  
Length : 25mm to 115mm

## DHS Screw (Dynamic Hip Screw)

DHS Lag Screw  
(Dynamic Hip Lag Screw)

Thread Diameter : 12.5mm  
Length : 50mm to 120mm



DHS Compression Screw  
(Dynamic Compression Screw)

Thread Diameter : 12.5mm  
Length : 50mm to 120mm



## Malleolar screw



4.5mm Malleolar screw  
(1.075mm pinch)

Thread Diameter : 4.5mm  
Length : 25mm to 85mm

## Locking Plates



### 3.5mm Small Locking Plates

Holes : 4 to 12 Holes

Fixation With : 3.5mm Screw

### 4.5mm Narrow Locking Plates

Holes : 4 to 12 Holes

Fixation With : 4.5mm Screw



### 4.5mm Broad Locking Plates

Holes : 5 to 12 Holes

Fixation With : 4.5mm Screw



# ◆ Locking Plates

## Small T Locking Plates



3.5mm Small T Locking Plates  
Right Angled

Holes : 3 to 7 Holes

Fixation With : 3.5mm Screw

3.5mm Small T Locking Plates  
Oblique Angled

Holes : 3 to 7 Holes

Fixation With : 3.5mm Screw



## DHS Locking Plates



DHS Barrel Locking Plate Round Hole  
(120', 125', 130', 135', 140', 145')

Holes : 4 to 13 Holes

Fixation With : 5mm Screw

# ◆ Locking Plates

---

## L-Buttress Locking Plates



### 4.5mm L-Buttress Locking Plates for Right Leg

Holes : 3 to 10 Holes

Fixation With : 4.5mm Screw

### 4.5mm L-Buttress Locking Plates for Left Leg

Holes : 4 to 13 Holes

Fixation With : 4.5mm Screw



## T-Locking Plates



### 4.5mm T-Locking Plates

Holes : 3 to 10 Holes

Fixation With : 4.5mm Screw

# ◆ Locking Plates

## T-Locking Plates



### 4.5mm T-Buttress Locking Plates

Holes : 4 to 10 Holes

Fixation With : 4.5mm Screw

## Lateral Tibia Buttress Locking Plates

### 4.5mm Lateral Tibia Buttress Locking Plates for Left Leg

Holes : 5 to 13 Holes

Fixation With : 4.5mm Screw



### 4.5mm Lateral Tibia Buttress Locking Plates for Right Leg

Holes : 5 to 13 Holes

Fixation With : 4.5mm Screw

## Reconstruction Locking Plates



### 4.5mm Reconstruction Locking Plates Straight

Holes : 5 to 14 Holes

Fixation With : 4.5mm Screw

### 3.5mm Reconstruction Locking Plates Straight

Holes : 5 to 14 Holes

Fixation With : 3.5mm Screw



## Proximal Humorous Locking Plate



### Proximal Humorous Locking Plate

Holes : 4 to 10 Holes

Fixation With : 5mm & 6.5mm Screw

## Distal Tibia Locking Plates



DCS Locking Plates

### Distal Tibia Locking Plates

Holes : 5 to 13 Holes

Fixation With : 4mm & 5mm Screw

### DCS Locking Plates DCP Hole (95')

Holes : 6 to 16 Holes

Fixation With : 5mm & 6.5mm Screw



## Locking Screw



### 3.5mm Locking Screw

Thread Diameter : 3.5mm  
Length : 12mm to 50 mm

### 4.0mm Locking Screw

Thread Diameter : 4mm  
Length : 12mm to 60mm



### 5.0mm Locking Screw

Thread Diameter : 5mm  
Length : 20mm to 90mm



# ◆ Locking Screw

## Cancellous Locking Screw



6.5mm Cancellous Locking Screw  
(16mm Threaded)

Thread Diameter : 6.5mm  
Length : 30mm to 105mm

6.5mm Cancellous Locking Screw  
(32mm Threaded)

Thread Diameter : 6.5mm  
Length : 30mm to 105mm



6.5mm Cancellous Locking Screw  
(Full Threaded)

Thread Diameter : 6.5mm  
Length : 30mm to 105mm



# ◆ Inter Locking Nails

## Inter Locking Nails



### Inter Locking Tibia Nail

Size : 8mm , 9mm, 10mm  
Length : 26cm to 38cm

### Inter Locking Femoral Nail

Size : 9mm, 10mm, 11mm, 12mm  
Length : 34cm to 44cm



### Inter Locking Humerus Nail

Size : 6mm, 7mm, 8mm  
Length : 18cm to 28cm

# ◆ Inter Locking Nails \_\_\_\_\_

## Proximal Femoral Nail (P.F.N)



### Proximal Femoral Nail (P.F.N) (Left)

Size : 9mm, 10mm, 11mm, 12mm  
Length : 34cm to 44cm

### Proximal Femoral Nail (P.F.N) (Right)

Size : 9mm, 10mm, 11mm, 12mm  
Length : 34cm to 44cm



### Proximal Femoral Nail (P.F.N) (Short) (25 cm)

Size : 9mm, 10mm, 11mm, 12mm  
Length : 25cm

# ◆ Inter Locking Nails \_\_\_\_\_

## Inter Locking Screw



### 3.4mm Inter Locking Screw

Size : 3.4mm

Length : 18mm to 48 mm

### 3.9mm Inter Locking Screw

Size : 3.9mm

Length : 24mm to 50 mm



### 4.9mm Inter Locking Screw

Size : 4.9mm

Length : 24mm to 80mm



# ◆ Inter Locking Nails \_\_\_\_\_

## Square Nails



### Square Nail for Radius

Size : 2mm, 2.5mm, 3mm, 3.5mm  
Length : 20cm to 30cm

### Square Nail for Ulna

Size : 2mm, 2.5mm, 3mm, 3.5mm  
Length : 20cm to 30cm



## Proximal Femoral Screw (P.F.N)



### 6.4 mm Proximal Femoral Screw (P.F.N)

Size : 6.4mm  
Length : 50mm to 120mm

# ◆ Inter Locking Nails \_\_\_\_\_

## Proximal Femoral Screw (P.F.N)



8.0 mm Proximal Femoral Screw  
(P.F.N)

Size : 8mm

Length : 50mm to 120mm

## K Wire (Kirschner Wire)



### K Wire (Kirschner Wire)

Size : 1mm to 3mm

Length : 6cm, 9cm, 12cm

## K Wire Threaded (Kirschner Wire)

Size : 1mm to 3mm

Length : 6cm, 12cm




## S.S. Wire Reel



### S.S. Wire Reel

Size : 16gm to 32gm

## L Wire (Lambrinudi)



L Wire (Lambrinudi)

# ◆ Hip Prosthesis

---

## Hip Implants / Hip Prosthesis

---



Austin Moore Hip Prosthesis

Size : 37mm to 55mm

---

Bipolar Hip Prosthesis

Size : 39mm to 53mm



Thompson Hip Prosthesis

Size : 37mm to 55mm

# ◆ External Fixators

## External Fixators



### Dynamic External Fixators Or Dynamic Axial Fixators

Material : Stainless Steel

Size : L / M / S / ES

Dynamic Screw Measuring : 9mm

### Linear External Fixators Or Limb Lengthner Fixators

Material : Stainless Steel

Fixation Elements of Ring : 2X1.0mm

Linear Fixation Elements : 3X1.6mm to 1X1.6mm



### Wrist External Fixators

Material : Stainless Steel

Rotational Motion : 3.20 to 1.20

# ◆ External Fixators

## External Fixators



### Dynamic External Fixators T Clamp

Material : Stainless Steel

Size : L / M

### Elbow External Fixators

Material : Stainless Steel

Arc of Motion : 840

Dia : 3.0mm to 4.0mm

Total Length : 80mm to 150mm

Thread Length : 20mm to 40mm



## Single Lock Screw



### Single Lock Mono Axial Screw

Size : 4.5mm, 5.5mm , 6.5mm  
Length : 30mm to 50mm

### Single Lock Polyaxial Screw

Size : 4.5mm, 5.5mm , 6.5mm  
Length : 30mm to 50mm



### Single Lock Reduction Screw

Size : 5.5mm , 6.5mm  
Length : 30mm to 50mm

## Double Lock Screw



### Double Lock Mono Axial Screw

Size : 4.5mm, 5.5mm , 6.5mm  
Length : 30mm to 50mm

### Double Lock Polyaxial Screw

Size : 4.5mm, 5.5mm , 6.5mm  
Length : 30mm to 50mm



### Double Lock Reduction Screw

Size : 5.5mm , 6.5mm  
Length : 30mm to 50mm

## Cervical System



### Cervical Bone Screws

Size : 4mm

Length : 12mm to 22mm

### Cervical Spine Plates

Length : 22mm to 70mm



### Cervical Lock Screws

## Leminar Hook Angle Blade



Leminar Hook Angle Blade

## Leminar Hook Narrow Blade



Leminar Hook Wide Blade



## Leminar Hook Angle Blade



## Leminar Hook Pediatric



## Leminar Hook Reducing

## Cage System



## Expandable Cage

Size : 12mm, 14mm, 16mm, 18mm  
Length : 20mmx25mm, 25mmx35mm,  
35mmx55mm, 55mmx75mm

## Cage System



### ECO Cage

Size : 12mm, 14mm, 16mm, 18mm  
Length : 20mm to 50mm

### TLIF Cage

Length : 7mm, 8mm, 9mm, 10mm, 11mm



### Staple

Size : Small, Large

## Transverse Connector



Transverse Connector

Size : Small, Large

Connecting Rod

Connecting Rod



# Advin Ortho

424-Maruti Plaza,  
Sardar Patel Chowk Road,  
Saijpur Bogha, Ahmedabad-382345  
Gujarat, India.

Phone : +91-76007 27251

Web : [www.advinortho.com](http://www.advinortho.com)

Email : [exports@advinortho.com](mailto:exports@advinortho.com),  
[info@advinortho.com](mailto:info@advinortho.com)