

ONE STOP SOLUTION FOR ALL
HOSPITAL NEEDS

Advin
Health Care



QUALITY



TRUST



24 X 7
SERVICE

GYNECOLOGY PRODUCTS

RANGE

Follow us on



www.advinhealthcare.com

Gynecology Product

| | |
|---|--|
| <p>Gynaecology Operation Table.....03</p> <p>Hydraulic Operation Table.....04</p> <p>Gynecology Examination Table.....05</p> <p>CTG monitor.....06</p> <p>Digital Colposcope.....10</p> <p>Pulmonary Endotrainer SET.....12</p> <p>Pelvic Endo trainer Set.....13</p> <p>Hysteroscopy Irrigation Pump.....14</p> <p>Gynecology Morcellator.....15</p> <p>Infant Radiant Warmer.....16</p> <p>LED Phototherapy Unit.....18</p> <p>Portable Infant Warmer Bag.....20</p> <p>Oxygen Hood.....21</p> <p>Vein Viewer.....22</p> <p>Electric Vacuum Extractor Unit.....23</p> <p>Manual Vacuum Extractor Unit.....24</p> <p>Silicone Vacuum Cup.....25</p> <p>Metal Vacuum Cup.....26</p> <p>Manual Breast Pump.....27</p> <p>Electric Breast Pump.....28</p> <p>Hysteroscope.....29</p> <p>Hysteroscopy Operative Sheath.....30</p> <p>Hysteroscopy Diagnostic Sheath.....31</p> <p>Hysteroscopy Flexible Forceps.....32</p> <p>Uterine Manipulator.....33</p> <p>Lonestar Retractor.....34</p> <p>Omni Retractor.....35</p> | <p>Vaginal Hysterectomy Set.....36</p> <p>Normal delivery Instruments set.....37</p> <p>Cesarean Delivery Set.....38</p> <p>Vaginal Dilators.....39</p> <p>Vaginal Tube.....40</p> <p>CCL Vaginal Set.....41</p> <p>TOT Needle.....42</p> <p>Myoma Screw.....43</p> <p>Proctoscope.....44</p> <p>Fallopian Ring Applicator.....45</p> <p>PCOD Needle.....46</p> <p>Cusco Bivalve Self-Retaining Vaginal Speculum.....47</p> <p>Plastic Vaginal Speculums.....48</p> <p>Laparoscopic Aspiration Needle.....49</p> <p>Gynecology Aspiration Kit.....50</p> <p>Infant Resuscitation Kit.....51</p> <p>Infant meter.....52</p> <p>Pregnancy Test Kit.....53</p> <p>Latex Gynecology Gloves.....54</p> <p>Cord Clamp.....55</p> <p>Female Incontinence Mesh.....56</p> <p>IUI (Intrauterine insemination) Catheter.....57</p> <p>Embryo Transfer Catheter.....58</p> <p>HSG (Hysterosalpingogram) Catheter.....59</p> <p>Fallopian Tube Recanalization Catheter.....60</p> <p>Fallopian Tube Recanalization Kit.....61</p> <p>SSG Catheter.....62</p> |
|---|--|

Gynecology Operation Table - 2A09

We, Advin Health care Offers of Gynaecology Operation Table with international quality standards. Gynaecology operating table are designed to provide accurate positioning with an easy electrical operation. These tables are ideal for use in all the major surgical process that requires precision. We offer Gynaecology operating table in different models based on the requirements of the clients.

Advanced Features:

- 👉 Functional, versatile, Flexibility and precision
- 👉 Hygienic design, Easy cleaning, User- friendly
- 👉 Electric Up-Down by cable remote
- 👉 Eccentric pillars, Stainless Fitting
- 👉 Detachable, head, led & pelvic section
- 👉 Base & cover made of attractive easy to clean SS



Technical Specification:

| Technical Specification | |
|-----------------------------|--------------------------------------|
| Size | 160 cm L x 52 cm W x 75 cm - 95 cm H |
| Lateral Tilt | ±20° |
| Back Section | ±60° |
| Floor locking system | Manual |
| Surgery For | Gynaecology Surgery |



Product Code

| Product | Size | Code |
|------------------------------------|------------------------------|------|
| Gynaecology Operation Table | 160 cm x 52 cm x 75 – 100 cm | 2A09 |

Hydraulic Operation Table - 2A01

We, Advin, manufacturer hydraulic Operation Table with international quality standards.

Hydraulic operating table are designed to provide accurate positioning with an easy mechanical operation. These tables are ideal for use in all the major surgical process that requires precision.

The table is adjusted with the help of heavy duty leak-proof hydraulic pump concealed in stainless steel covered chamber. We offer hydraulic operating cylinders in different models based on the requirements of the clients.

Advanced Features:

- ☺ Centric Pillars,Stainless Fitting
- ☺ Detachable, head & led,Four Sectional
- ☺ Base & cover made of attractive easy to clean SS
- ☺ Sophisticated mechanics provide smooth
- ☺ Step less articulation of the table top for precise patient positioning
- ☺ Press paddle for height adjustment.



Use In:

- ☺ General Surgery
- ☺ Urology Surgery
- ☺ Gynaecology Surgery
- ☺ Laparoscopy Surgery




Technical Specification:

Technical Specification

| | |
|-----------------------------|------------------------------------|
| Size | 191 cm L x 52 cm W x 75 cm-100cm H |
| Trendelenburg | 25° |
| Re- Trendelenburg | 25° |
| Lateral Tilt | ±20° |
| Back Section | ±60° |
| Head section | ±60° |
| Leg Section | 0°-90° |
| Floor locking system | Manual |

Product Code:

| Product | Size | Code |
|---------------------------|------------------------------|------|
| Hydraulic OT Table | 191 cm x 52 cm x 75 – 100 cm | 2A01 |



Gynecology Examination Table - 1K04

Advin Health care leading manufacturer Gynecology Examination Table with international quality standards.

Advin Examination couch cum Gynec Table gives corrosion proof, Quality Ensured, durable body structure, high strength. Advin has 10 year experience of manufacturing Gynec Examination Table.

Advanced Features:

- 🪑 Headrest adjustable mechanically on ratchet mechanism
- 🪑 Lithotomy leg holder
- 🪑 CRCA tubular frame work
- 🪑 Heavy duty floor protecting PVC shoes
- 🪑 CRCA Top In Two Section
- 🪑 Perineal access at leg end



Technical Specification:

| General Specification | |
|-----------------------------|-------------------------------|
| Size | 183 cm L x 61 cm W x 82 cm H |
| Finish | Epoxy powder coated. |
| Optional Accessories | PU Form Mattress in 2 section |

Product Code:

| Product | Size | Code |
|---|------------------|-------|
| Gynaecology Examination table - MS | 183 x 61 x 82 cm | 1K04A |
| Gynaecology Examination table – SS | 183 x 61 x 82 cm | 1K04B |

CTG monitor – 16A01

Cardiotocography (CTG) is a technical means of recording the fetal heartbeat and the uterine contractions during pregnancy. The machine used to perform the monitoring is called a cardiotocograph, more commonly known as an electronic fetal monitor (EFM).

CTG monitoring is widely used to assess fetal wellbeing. A review found that in the antenatal period (before labour) there is no evidence to suggest that monitoring women with high-risk pregnancies benefits the mother or baby although research around this is old and should be interpreted with caution.

Advanced Features:

- 👂 Long life, high Resolution, built in Thermal Recorder
- 👂 Display 8" color lcd
- 👂 Image Freeze Function
- 👂 Sound & color remind users of high & low fetal heart rate.
- 👂 Manual Records Fetal Movement
- 👂 FHR 120~160 bpm normal range label
- 👂 In built rechargeable battery with apporx. 2 Hr battery backup
- 👂 Continous 24 Hrs real time monitoring function
- 👂 Built in 2 rechargeable batteries insure that could still working normally for two hrs, after the power supply breaks off
- 👂 9 crystal broadband pulsed wave tranducer
- 👂 Continous 12hrs patient curve and data storage, playback & print
- 👂 Rotatable Screen 60 Degree



Technical Specification:

| Power Supply | |
|------------------------------------|---|
| Power Supply | 100-240V AC, 50/60Hz |
| Power Consumption | 50Hz / 60Hz |
| Ultrasound Probe | |
| Work Frequency | 1.0MHz \pm 10% |
| Nominal Frequency | 1.0MHz |
| Output beam intensity | Lob \leq 20mW/cm ² |
| Negative Peak Sound pressure | P \leq 1Mpa |
| The peak time space peak intensity | Ispta \leq 100mW/cm ² |
| FHR Range | 50 bpm ~ 240 bpm |
| Resolution | 1bpm |
| Accuracy | \pm 2bpm |
| TOCO | |
| Toco Range | 0 ~ 100% |
| Resolution | 1% |
| Non Linear Error | $< \pm$ 10% |
| RZ Way | Manually |
| Fatal Marking | For the manual button (the operation of pregnant woman) there will be mark display in the bottom area of FHR wave display section. |
| FHR Reminder | Reminder for high and low FHR which exceeds appointed limit. |
| Printer | |
| Record paper | Two –double type Z |
| Print Width | 110mm |
| Valid print width | 104 mm |
| Paper out speed | 1 cm/ min; 2 cm/min; & 3 cm/min[optional] |
| Data Precision | \pm 5 % [X Roll] \pm 1 % [Y Roll] |
| Record Content | Hospital, Bed number, Name, Pregnancy Week, Patient Number, Paper Speed, Date, Time, FHR data & Wave, Contraction data & wave, fatal move times & mark ETC. |
| Net interface | RJ 45 |
| Battery Type | 2 rechargeable batteries, 3700 mAh/ 3.7 |

| | |
|---|--|
| Transducer | [1] ultrasonic transducer System: Pulsed Doppler Dimension: 90 mm x 65 mm [2] TOCO Transducers System: Passive strain gauge Dimension: 102 mm x 50 mm [3] Remote Marker Length: 96 mm |
| Environment | |
| Temperature Relative Humidity Atmospheric Pressure | -10°C ~ 55° C ≤ 93% 700hPa ~ 1060hPa |
| Environment[working environment] | |
| Temperature Relative Humidity Atmospheric Pressure | 5°C ~ 40° C ≤ 93% 700hPa ~ 1060hPa |
| Physical Characteristics | |
| Size Weight Mode Optional | 320 mm [L] x 260 mm [w] x 80 mm [H] 3 KG Continuous Work Twins monitoring Built –in communication port can be connected with central monitoring system |

Digital Colposcope – 16B02

The Digital Video Colposcope system is a camera and imaging module used for clinical examinations of the cervix, vulva, and vagina, and part of the AMD Global Telemedicine family of telehealth products and solutions.

Advanced Features:

- 👉 Variable Light Intensity
- 👉 Variable image colors
- 👉 Auto Focus camera
- 👉 Change direction of the image from left to right horizontally and from upward to downward vertically
- 👉 Ergonomic design for easy to operate
- 👉 Height adjustment of colposcope
- 👉 Connect to the TV & Medical Grade Monitor



Technical Specification:

| Power Supply | |
|-----------------------------------|-------------------------------------|
| Power Supply | 100-240V AC, 50/60Hz |
| Power Consumption | 50Hz / 60Hz |
| Specification | |
| Image Processor | CCD Color |
| Pixels | 1200000 |
| Resolution | > 825 lines or > 1000 with Gamma On |
| E -Flip & mirror Image | Yes |
| Variable Light Intensity | Yes |
| Variable Light Intensity | Yes |
| Multigrade Green Filter | Yes |
| Blue Filter | Yes |
| S/N Ratio | >48 dB |
| Avg LED Life | >50000Hr |
| Colour Temp | 7000K |

| | |
|------------------------------|--|
| Illumination | High MCD super Bright White Shadowless LED Light |
| Focus | Automatic & Manual |
| Focus Distance | 20-30 cm / |
| Depth of View | 200 mm dia – 5 mm |
| Viewing Area | 170 mm dia |
| Zoom | 1-55X |
| Magnification Display | Yes |
| Test Timer | Yes |
| Video Outputs | 1 x Y 1 – BNC COMPOSITE 1 – USB (OPTIONAL) |
| Safety Standard | Complies to IEC60601 |



Pulmonary Endotrainer SET – 16C01

Advin Health Care manufacturer Pulmonary Endo Trainer with international quality Standards. Pulmonary Endotrainer also known as laparoscopic virtual reality simulator. Pulmonary Virtual Endo Trainer gives feeling like actual Gynaecology procedure to doctors.

It has designed & developed to give the picture as true as laparoscopic camera, without regular laparoscopic video camera, Light source, Telescope & Fiber optic cable. It has 2 to 5 Holes for Instrument and Laparoscope.

Three virtual trocars provided to introduce the telescope and hand instrument. CCD Camera is connected at the end of the telescopic rod, which gives vision of virtual laparoscopy. Video output is connected with Monitor/Television system and gives accurate color vision.

Advanced Features:

- 👉 No need for camera, Light source, Telescope & Fiber optic cable
- 👉 Highly Durable
- 👉 Provides accurate vision
- 👉 Users Friendly

SET includes:

- 👉 Endo Trainer Blunt Grasper Instrument
- 👉 Endo Trainer Maryland Instrument
- 👉 Endo Trainer Needle Holder
- 👉 Endo Trainer Scissor



Product Code:

| Product | Type | Code |
|-------------------------------|-----------|---------|
| Pulmonary Endo Trainer | PC/Laptop | 16C01AA |
| Pulmonary Endo Trainer | TV | 16C01AB |

Pelvic Endotrainer Set – 16C02

Advin Health Care manufacturer Pelvic Endo Trainer with international quality Standards. Pulmonary Endotrainer also known as laparoscopic virtual reality simulator. Pelvic Virtual Endo Trainer gives feeling like actual Gynaecology procedure to doctors.

It has designed & developed to give the picture as true as laparoscopic camera, without regular laparoscopic video camera, Light source, Telescope & Fiber optic cable. It has 2 to 5 Holes for Instrument and Laparoscope.

Three virtual trocars provided to introduce the telescope and hand instrument. CCD Camera is connected at the end of the telescopic rod, which gives vision of virtual laparoscopy. Video output is connected with Monitor/Television system and gives accurate color vision.

Advanced Features:

- 👉 No need for camera, Light source, Telescope & Fiber optic cable
- 👉 Highly Durable
- 👉 Provides accurate vision
- 👉 Users Friendly

SET includes:

- 👉 Endo Trainer Blunt Grasper Instrument
- 👉 Endo Trainer Maryland Instrument
- 👉 Endo Trainer Needle Holder
- 👉 Endo Trainer Scissor



Product Code:

| Product | Type | Code |
|---------------------------------|-----------|---------|
| PC / Laptop Pelvic Endo Trainer | PC/Laptop | 16C02AA |
| Pelvic Endo Trainer | TV | 16C02AB |

Hysteroscopy Irrigation Pump – 14A04

Advin Health Care Manufacturer Irrigation Pump during Endoscopic procedures. Advin Irrigation Pump use in urology Surgery, Arthroscopy, & laparoscopy ETC. The irrigation pump is designed according to the clinical experiment and is suitable for hysteroscope and urological surgery system. The intelligent self-diagnosis function can directly connect the infusion tube of the pressure sensor to the equipment, convenient and quick.

Advanced Features:

- 👉 Maintain inside pressure
- 👉 Auto cut off / auto start
- 👉 Accurate Result
- 👉 Work on any surgical procedure
- 👉 Compatible with any instruments
- 👉 Light weight
- 👉 Fast, safe and economical



SET includes:

- 👉 Irrigation Pump – 1
- 👉 Power Cable – 1
- 👉 Tubing – 1
- 👉 Bottle Connector – 1
- 👉 Y connector - 1

Technical Specification:

Technical Specification

| | |
|--------------------------|------------------|
| Power Supply | 240 V AC – 50Hz |
| Power Consumption | 100VA |
| Flow Rate | 10 – 9999 MI/Min |
| Pressure Range | 10 – 500 mmHg |
| Accuracy | ± 10% |

Gynecology Morcellator - 15E01

Morcellator is commonly used at surgery to remove bulky specimens from the abdomen using minimally invasive techniques. In laparoscopic hysterectomy the uterus is minced up, or morcellated, into smaller pieces inside the woman's abdominal cavity in order to extract from the abdomen.

Advanced Features:

- 🏥 Digital Morcellator
- 🏥 Reverse and forward movements
- 🏥 High cutting torque and speed
- 🏥 Cutting Speed can be adjusted while operation
- 🏥 Can break large tissues



Accessories:

- 🏥 Control unit – 1 No
- 🏥 Power Cable – 1 No
- 🏥 Foot switch – 2 Nos.
- 🏥 Hand piece – 1 No
- 🏥 Tenaculum Forceps – 1 No
- 🏥 Cutter – 2 No

Technical Specification:

Technical Specification

| | |
|-----------------------|------------------|
| Power Supply | 100 – 240 Ac |
| Frequency | 50Hz |
| Maximum Power | 50 W |
| Classification | Class I, type BF |

Product Code:

| Product | Size | Code |
|--------------------------------|------|-------|
| Gynaecology Morcellator | | 15E01 |

Infant Radiant Warmer - 16E01

Advin Infant Radiant Warmer is also known as Radiant heat warmer / intensive care warmer. Radiant Warmer, is a body warming device to provide heat to the body.

This device helps to maintain the body temperature of the baby and limit the metabolism rate. Radiant Warmers are full featured NICU equipment to meet Neonatal critical care requirements for new-born baby those in need of temperature maintenance.

Advanced Features:

- 👉 Micro Controller Based Temperature Controlling
- 👉 Provides Thermal regulation with highest degree of accuracy
- 👉 User friendly features and control panel, Easy to operate
- 👉 LED Examination Lamp Provides accurate assessments of infant color and sufficient illumination during procedures
- 👉 Consists of Ceramic infrared Heater with higher power output and more durability than any tubular silicon quartz glass heaters
- 👉 The source box can be swivelled to take x-ray
- 👉 Baby Tray Clear acrylic collapsible side panels to assess an infant from all sides. Acrylic with cushion Mattress



Types of Temp. Controllers:

- 👉 Manual - Use for Pre warm baby, Directly control and user adjustable Heater power
- 👉 Skin - Automatic maintain temperature and control Heater with power saving functionality

Display

- 👉 LCD display for Time, Mode and Alarm
- 👉 Mute indication LED
- 👉 Seven segment display for skin Temperature and Set Temperature
- 👉 Provided IV stand and patient Monitor stand
- 👉 Power Failure indication LED

Technical Specification:

| General Specification | |
|---|---|
| Dimension | 95 cm L x 64 cm W x 176 cm |
| Bed Size | 51 cm x 76 cm |
| Bed Height | 85 cm |
| Heater Rotation | ±90° Rotation to the side |
| Heater Unit Height | 168 cm |
| Technical Specification | |
| Control System | Micro controller based smart system |
| Skin mode | Set temperature range +32°C to +37°C with 0.1°C increments. |
| Manual Mode | Set heater Power in 5 stages, increments of 20%. |
| Heater output | 0 - 600 W |
| Temperature Measurement Accuracy | ± 0.5°C at 30°C to 40°C |
| Temperature Display Accuracy | ± 0.3°C |
| Temperature Probe Accuracy | ± 0.5°C |
| Environmental Requirements | |
| Storage temperature | -40°C to +70°C |
| Operating temperature | + 18 °C to +30°C |
| Storage Humidity | 20 to 90% RH |
| Operating Humidity | 30 to 70% RH |
| Power Supply | |
| Power Requirements | 230V 10%,50-60Hz |
| Power Consumption | 600W max |

Product Code:

| Product | Type | Code |
|------------------------------|-------------------------|-------|
| Infant Radiant Warmer | without Trolley | 16E01 |
| Infant Radiant Warmer | With Fix Trolley | 16E02 |
| Infant Radiant Warmer | With Detachable Trolley | 16E03 |

LED Phototherapy Unit - 16F01

LED Phototherapy unit used for helping in breathing, this product is available in various technical specifications as per the requirements of our valuable clients.

The provided product is widely acknowledged by our esteemed clients owing to its long functional life and smooth operations. Furthermore, we provide this medical equipment to our clients at most reasonable price.

Advanced Features:

- 👉 White Led for baby examination
- 👉 Also time pause / Start switch
- 👉 Run time also reset time switch
- 👉 No cooling fan required
- 👉 Optical design ensures uniform light distribution to the patient surface area
- 👉 Led phototherapy with high bright LED lamps



Technical Specification

Technical Specification

| | |
|---------------------------|----------------------------|
| Display | 16 x 2 LCD Display |
| No. Of LEDs | 14 LED Blue |
| Optimal Wavelength | 450 – 460 nm |
| Average Life | 30,000 Hr |
| Rotatable | 90 degree |
| Adjustable Height | 100 – 142 cm |
| Power Consumption | 20W |
| Power Supply | 120 – 240 V AC, 50 - 60 Hz |
| Main LED Unit | 38 x 30.5 x 5 cm |
| Base | 61 x 44 Cm |

Product Code:

| Product | Size | Code |
|-----------------------|---------------|-------|
| LED Phototherapy Unit | Upper surface | 16F01 |
| LED Phototherapy Unit | Lower surface | 16F02 |
| LED Phototherapy Unit | with Trolley | 16F03 |



Portable Infant Warmer Bag - 16H01

Portable Infant Warmer Bag is a low-cost solution that maintains the body temperature of premature and low-birth-weight babies at the desired level even with intermittent access to electricity.

Advanced Features:

- 👉 Cost Effective
- 👉 effective phase change material to stabilize rapidly the temperature of an infant suffering from hypothermia
- 👉 Durable, Portable & hygienic
- 👉 Accurate
- 👉 Easy To use



| Product | Size | Code |
|----------------------------|------|-------|
| Portable infant warmer bag | | 16H01 |

Advin
Health Care

Oxygen Hood - 16I01

An oxygen Hood consists of a canopy placed over the head and shoulders, or over the entire body of a patient to provide oxygen at a higher level than normal.

Some devices cover only a part of the face. Oxygen tents are sometimes confused with altitude tents as used by athletes and those looking to acclimatize to a higher altitude, but those contain a reduced oxygen content.

Advanced Features:

- 👤 Single piece round shape made up of Autoclavable poly carbonate material
- 👤 Trauma free silicone neck adjustment flap
- 👤 Bilateral oxygen nozzle prevents direct flow of cold oxygen on patient's head
- 👤 Transparent & reusable oxygen hoods



Product Code:

| Product | Size | Code |
|-------------|------|-------|
| Oxygen Hood | | 16I01 |

Vein Viewer – 04F09

Advin Health Care Provides Vein Viewer with International quality Standard. Small and portable, the Vein Viewer is a vein finder that allows you to quickly find a patient's vein without undue hassle or trauma to the patient. the vasculature is clearly displayed on the surface of the skin.

Advanced Features:

- 👉 Rechargeable Battery with Android charger
- 👉 Optimal area of illumination 3 Difference Intensity Modes
- 👉 Works on all age patients
- 👉 Works on dark and light skin tones
- 👉 ABS Diamond Finish Body
- 👉 One super bright Light Emitting Diode
- 👉 Superficial veins can be access easily
- 👉 Rechargeable in built Battery
- 👉 Complimentary Android Charger
- 👉 O-Shaped design



Product Code:

| Product | Size | Code |
|-------------|------------|--------|
| Vein Viewer | Adult | 04F09A |
| Vein Viewer | Paediatric | 04F09P |

Electric Vacuum Extractor Unit – 16K01

Advin health care offers Gynecology Suction Unit with international quality standards. During vaginal delivery, your doctor may use a vacuum to help remove your baby from the birth canal. This procedure makes delivery more rapid. It may be needed to avoid injury to the baby and to avoid cesarean section.

Advanced Features:

- 👉 Compared to Forces there is much less hazard of damaging the soft birth canal
- 👉 Least or nil injury to the skull of intracranial hemorrhage and / or facial injury or even paralysis
- 👉 Vacuum Indicator shows exact power required and can be set also can be controlled
- 👉 Our all cups will be provided with safety valves for emergency release instantly
- 👉 Autoclaveable Polycarbonate Material Suction Bottle supplied with the unit Multipurpose two in one, it can be used as a suction unit and other part can be used as a nebulizer Air out
- 👉 Used in Op Dept, Especially For suction & delivery, paediatric emergency like mucus removal
- 👉 One Cup will be supplied with the machine and Other design Cups at extra cost
- 👉 Extra safety filter, ON-OFF switch, fuse will be provided Electric Safety



Accessories:

- 👉 Control Unit
- 👉 Suction Bottle – 500 ml
- 👉 Filters
- 👉 Tubing
- 👉 Suction Cup

Product Code:

| Product | Size | Code |
|--------------------------------------|------|-------|
| Electric Vacuum Extractor Set | | 16K01 |

Manual Vacuum Extractor Unit – 16K02

Advin health care offers Gynecology Suction Unit with international quality standards. For Minor work with required safety negative pressure achieved.

Suction Pressure can be controlled or seen visually and the user can stop or proceed with the fuction accordingly, since it is controlled by Hand pump. No electricity.

Advanced Features:

- 👉 This vacuum suction cup could assist and shorten second
- 👉 stage of labor in occipital delivery
- 👉 Minimize the risk of Traumas, Cephalohematoma and Forceps delivery
- 👉 The soft suction cup allows for easy insertion and facilitate an excellent vacuum seal
- 👉 The soft cup can protect and decrease possible danger of damaging the fetus head.
- 👉 Black guideline is designed for positioning reference
- 👉 The handle and valve assemblies are manufactured of ABS body
- 👉 The shaft has three molded ridges to facilitate a firm grip
- 👉 This vacuum suction cup is designed to withstand appropriate repeated use and cleaning procedures
- 👉 Metal Handle made of brass and coated with nickel for long life
- 👉 Different Size of vacuum cup



Product Code:

| Product | Size | Code |
|------------------------------------|------|-------|
| Manual Vacuum Extractor Set | | 16K02 |

Silicone Vacuum Cup – 16L01

The use of metal vacuum may often cause abrasions of the scalp or suggillation since the limited area over which the instrument is fit, is pressed by the difference in pressure between the marked sites.

It involves no risk of cephalohematoma because a slight difference between the internal and external pressures at the marked sites is dispersed over a wide area onto which the cup is fitted.

Advanced Features:

- 👉 Least or nil injury to the foetus
- 👉 Silicon cup can be used with no anxiety
- 👉 Easy to handle
- 👉 Used for suction and delivery
- 👉 Portable
- 👉 Light weight
- 👉 Comfortable to use



Product Code:

| Product | Size | Code |
|---------------------|--------|--------|
| Silicone Vacuum Cup | Small | 16L01S |
| Silicone Vacuum Cup | Medium | 16L01M |
| Silicone Vacuum Cup | Large | 16L01L |

Metal Vacuum Cup – 16L02

It is an instrumental device designed to assist delivery by creating a vacuum between itself & the fetal scalp. Suction cup of variable size. It is either metallic or silicone.

Advanced Features:

- 👉 Least or nil injury to the foetus
- 👉 Easy to handle
- 👉 Used for suction and delivery
- 👉 Portable
- 👉 Light weight
- 👉 Comfortable to use



Application

- 👉 Station of the head & its position is assessed
- 👉 Instrument is checked to be in working condition before application
- 👉 Selection of the cup is important
- 👉 The Cup is introduced after retraction of perineum with two fingers of the other hand

Product Code:

| Product | Size | Code |
|------------------|--------|--------|
| Metal Vacuum Cup | Small | 16L02S |
| Metal Vacuum Cup | Medium | 16L02M |
| Metal Vacuum Cup | Large | 16L02L |

Manual Breast Pump - 16M01

Manual Breast Pump simple way to support breast feeding for your baby. Small, portable and convenient, Provides consistent suction for more comfortable and efficient milk expression.


Advanced Features:

- 👉 Easy to use & safe
- 👉 Cost-effective
- 👉 Convenient and portable High efficiency



Product Code:

| Product | Size | Code |
|--------------------|------|-------|
| Manual Breast Pump | | 16M01 |



Electric Breast Pump - 16M02

Electric Breast Pump simple way to support breast feeding for your baby. Small, portable and convenient, Provides consistent suction for more comfortable and efficient milk expression.

Advanced Features:

- 😊 Easy to use & safe
- 😊 Cost-effective
- 😊 Convenient and portable High efficiency
- 😊 Lightweight, compact and easily portable



Product Code:

| Product | Size | Code |
|----------------------|------|-------|
| Electric Breast Pump | | 16M02 |

Advin
Health Care

Hysteroscope – 16N01

Hysteroscope used in Hysteroscopy procedure to examine the cervix and inside of the uterus. Size of Hysteroscope is 4mm 30 degree.

Advanced Features:

- 👁️ High Definition Hysteroscope
- 👁️ With fiber-light-guide, direct vision, Autoclavable
- 👁️ Anti-reflective optical system
- 👁️ Uniform Brightness



Product Code:

| Product | Size | Code |
|--------------|--------------------|---------|
| Hysteroscope | 4 mm x 30 degree | 16N01AA |
| Hysteroscope | 4 mm x 0 degree | 16N01AB |
| Hysteroscope | 2.9 mm x 30 degree | 16N01AC |
| Hysteroscope | 2.9 mm x 0 degree | 16N01AD |

Hysteroscopy Operative Sheath – 16N02

Hysteroscopy Operative Sheath allows instruments like scissors, graspers or biopsy instruments used to correct the condition are inserted through the hysteroscope.

Advanced Features:

- 🩺 Corrosion resistance
- 🩺 Fine finish
- 🩺 Longer life
- 🩺 Easy to use
- 🩺 High performance



Available in:

- 🩺 Hysteroscopy Operative Sheath with one working channel
- 🩺 Hysteroscopy Operative Sheath with two working channel
- 🩺 Hysteroscopy Operative Sheath Continuous suction Irrigation

Product Code:

| Product | Size | Code |
|--------------------------------------|--------|---------|
| Hysteroscopy Operative Sheath | 4 MM | 16N0240 |
| Hysteroscopy Operative Sheath | 2.9 MM | 16N0229 |

- **IF Rotatable add suffix = 'R'**
- **For Example, = Hysteroscopy Operative Sheath 4 MM rotatable = 16N0240R**

Hysteroscopy Diagnostic Sheath – 16N03

Hysteroscopy Diagnostic Sheath diagnose problems of the uterus with use of Hysteroscope.

Advanced Features:

- 🩺 Provide excellent utility
- 🩺 Advanced configuration
- 🩺 Autoclavable
- 🩺 Highly Compatible



Available in:

- 🩺 Hysteroscopy Diagnostic Sheath with Single Stop Cock Non Rotatable
- 🩺 Hysteroscopy Diagnostic Sheath with Single Stop Cock Rotatable
- 🩺 Hysteroscopy Diagnostic Sheath with Two Stop Cock Rotatable
- 🩺 Hysteroscopy Sheath Daignostic continuous suction Irragation Rotatable

Product Code:

| Product | Size | Code |
|---------------------------------------|--------|---------|
| Hysteroscopy Diagnostic Sheath | 4 MM | 16N0340 |
| Hysteroscopy Diagnostic Sheath | 2.9 MM | 16N0329 |


- **IF Rotatable Add Suffix = 'R'**
- **For Example, = Hysteroscopy Diagnostic Sheath Rotatable 4 MM = 16N0340R**

Hysteroscopy Flexible Forceps

Different types of Hysteroscopy Forcep used in Operative Hysteroscopy procedure.

Advanced Features:

- 👉 Reusable forceps
- 👉 Flexible and semi flexible types available
- 👉 Strong grasping
- 👉 Autoclavable
- 👉 Strong grip



Available in:

- 👉 Flexible Scissor Forceps
- 👉 Flexible Biopsy Forceps
- 👉 Flexible Alligator Forceps

Product Code:

| Product | Size | Code |
|-----------------------------------|------|---------|
| Flexible Scissor Forceps | 5 Fr | 16N0405 |
| Flexible Biopsy Forceps | 5 Fr | 14C0405 |
| Flexible Alligator Forceps | 5 Fr | 14C0505 |

Uterine Manipulator – 16N05

Uterine Manipulator is commonly used in laparoscopic hysterectomy. It is also used in Total laparoscopic hysterectomy, laparoscopic supracervical hysterectomy.


In gynecology, the importance of a uterine manipulator regarding the prevention of ureter injuries during laparoscopic hysterectomy (LH)

We provides Uterine Manipulator in different types like Mangeshkar Uterine Manipulator, Storz Type Uterine Manipulator , Marva Uterine Manipulator, Tintara Uterine Manipulator, V type Uterine Manipulator, Uterine Manipulator with Die Injector, Cohen Uterine Manipulator, HOHL Uterine Manipulator

Advanced Features:

- 👉 Use in both diagnostic and surgical procedures
- 👉 Designed to provide excellent utility
- 👉 Durable and Highly compatible
- 👉 Allows greater flexibility

Product Code:









| Product | Type | Code |
|---------------------|-------------------|---------|
| Uterine Manipulator | Mangeshkar | 16N0501 |
| Uterine Manipulator | Storz Type | 16N0502 |
| Uterine Manipulator | Marwa | 16N0503 |
| Uterine Manipulator | Tintara | 16N0504 |
| Uterine Manipulator | V- Type | 16N0505 |
| Uterine Manipulator | with Die Injector | 16N0506 |
| Uterine Manipulator | HOHL | 16N0507 |
| Uterine Manipulator | Cohen Type | 16N0508 |

Lonestar Retractor- 16N06

Lonestar Retractor set for wide range of gynecology surgery. The Lone Star Retractor System is comprised of a variety of self-retaining, adjustable retractors which offer superior access and visualization across a wide range of surgical applications. From Gynecologists to Otolaryngologists, surgeons across the world consider Lone Star a “must have” product within their OR.

Advanced Features:

-  Superior Quality
-  Easy to use
-  Cost-effective
-  Reusable
-  High performance



Product Code:

| Product | Size | Code |
|---------------------|-------------|---------|
| Lone star Retractor | Square Type | 16N06AA |
| Lone Star Retractor | Oval Type | 16N06AB |

Advin Health Care

Omni Retractor - 16N07

Omni Retractor is Table-mounted surgical retraction offers hands-free access to the operative site. The Omni retractor gives hospitals the flexibility to use the same basic system in a variety of procedures while offering surgeons the latest in technology.

Advanced Features:

- 👉 Easy to use
- 👉 Cost-effective
- 👉 Reusable
- 👉 High performance
- 👉 Superior Quality



Product Code:

| Product | Size | Code |
|----------------|------|-------|
| Omni Retractor | | 16N07 |

Vaginal Hyterectomy Set - 16N09

Hysterectomy is the surgical removal of the uterus. It may also involve removal of the cervix, ovaries, fallopian tubes and other surrounding structures.



| Product | Qty |
|-------------------------------------|-----|
| Scalpel Handle No. 3 | 1 |
| Mayo scissor 6 ¾" CVD | 1 |
| Metzenbaum Scissor 7" CVD | 1 |
| Allis Tissue Forceps 9 ½" | 2 |
| Debakey Tissue Forceps 7" | 1 |
| Russian Tissue Forceps | 1 |
| Rochester – Ochsner Forceps CVD 8 " | 4 |
| Rochester – Ochsner Forceps CVD 8 " | 8 |
| Mixer Right Angle Forceps | 2 |
| Foresters Sponge Forceps 9" ST | 2 |
| Heaney Clamp | 6 |
| Deaver Retractor 1 " x 9 " | 1 |
| Deaver Retractor 1" x 12" | 1 |
| Deaver Retractor 1 ½" x 12" | 1 |

Normal delivery Instruments set – 16N10

Delivery surgical Instrument set is composed of is compiled for the delivery procedure. Procedure kit contains scissors to cut the umbilical cord. Set contains instruments and stainless steel bowls, kidney dishes and an instrument tray.



| Product | Qty |
|---|-----|
| Sponge Holding Forceps ST – 18 cm | 2 |
| Auward Vaginal Specula 70 x 38 mm | 2 |
| Mayo Hegar Needle Holder 18 cm | 4 |
| Episiotomy Scissor 14 cm | 2 |
| Umbinical Cord Scissor (USA Mod.) | 2 |
| Sims Vaginal Spatula Set of 3 | 1 |
| Iodine Cup | 1 |
| Kidney Tray | 2 |
| Spencer Well Artery Forceps ST 14 cm st | 2 |
| BP Handle No. 4 | 2 |
| Kocher Oshener Forceps 18 Cm ST | 2 |
| Instrument Tray | 2 |

Cesarean Delivery Set –16N11



| Product | Qty |
|---------------------------------|-----|
| Towel Clip | 10 |
| Wrigley obstetric Forceps | 2 |
| Artery Forceps CVD - 15 cm | 10 |
| Artery Forceps CVD -18 cm | 3 |
| Dissecting forceps Tooth | 4 |
| Dissecting Forceps Plain -18 cm | 4 |
| Sponge Holding Forceps 24 cm | 10 |
| Allis Tissue Forceps | 4 |
| Little Wood Tissue Forceps | 6 |
| B.P. Handle No.4 | 4 |
| B.P. Handle No.3 | 2 |
| Lagenback Retractor | 2 |
| Morris Retractor | 4 |
| Mayo Scissor CVD -18 cm | 2 |
| Mayo Scissor ST – 18 cm | 2 |
| Ligature Scissor | 2 |
| Instrument Tray | 2 |
| Green Armitage Forceps 21 cm | 12 |

Vaginal Dilators - 16N12

Vaginal Dilators were created by a sex therapist and gynecologist to help women undergoing progressive vaginal dilation therapy. This is a process that involves the careful, comfortable and slow insertion of vaginal dilators into the vagina.


Advanced Features:

- 😊 Comfortable
- 😊 Feel less or no pain during everyday activities
- 😊 Easy to clean vaginal dilators in graduating sizes



Product Code:

| Product | Size | Code |
|------------------|------|-------|
| Vaginal Dilators | | 16N12 |



Vaginal Tube - 16N13

Vaginal Tubes gynecologist to help women undergoing progressive vaginal dilation therapy.

Advanced Features:

- 😊 Comfortable
- 😊 Made in High Grade Medical material
- 😊 Smooth Finish
- 😊 Reliable



Product Code:

| Product | Size | Code |
|--------------|--------|--------|
| Vaginal Tube | Small | 16N13S |
| Vaginal Tube | Medium | 16N13M |
| Vaginal Tube | Large | 16N13L |

Advin Health Care

CCL Vaginal Set - 16N14

This medication is used to treat vaginal yeast infections. Clotrimazole reduces vaginal burning, itching and discharge that occur with this condition. This medication is an azole antifungal. It work by stooping the growth of yeast that causes the infection.


Advanced Features:

- 😊 Comfortable
- 😊 Made in High Grade Medical material
- 😊 Smooth Finish
- 😊 Reliable



Product Code:

| Product | Size | Code |
|-----------------|------|-------|
| CCL Vaginal Set | - | 16N14 |



TOT Needle - 16N15

TOT Needle (Trans Obturator Needle) are made of high quality medical grade materials. The TOT Needs are used to place Trans Obturator Sling Systems.

Advanced Features:

- 🩺 TOT needle finds use to place sling
- 🩺 Used for points close to important viscera or where muscles are thinner
- 🩺 Needle coming in semi-circular finish
- 🩺 Allows for precise placement support
- 🩺 Needle available in 4mm finish







Product Code:

| Product | Size | Code |
|------------|------|-------|
| TOT Needle | | 16N15 |

Mayoma Screw – 16N16

Gyneacology Myoma Screw is used in Gyneacology surgery to remove myomas, fibroids, or other tissues.


Advanced Features:

-  Precise design
-  Anti-corrosive
-  Strong construction
-  High performance



Product Code:

| Product | Size | Code |
|--------------|-------|---------|
| Mayoma Screw | 5 mm | 16N1605 |
| Mayoma Screw | 10 mm | 16N1710 |



Proctoscope - 16N18

Proctoscopy is a common medical procedure in which an instrument called a proctoscope (also known as a rectoscope, although the latter may be a bit longer) is used to examine the anal cavity, rectum, or sigmoid colon.


Advanced Features:

- 🩺 Precise design
- 🩺 Anti-corrosive
- 🩺 Strong construction
- 🩺 High performance



Product Code:

| Product | Size | Code |
|-------------|--------|--------|
| Proctoscope | Small | 16N18S |
| Proctoscope | Medium | 16N18M |
| Proctoscope | Large | 16N18L |



Fallopian Ring Applicator – 16N19

Fallopian Ring Applicator used to apply ring on fallopian tube. Fallopian Ring Applicator can apply two rings in one time. Ring Applicator comes with Double Puncture With Loader And Pusher.

Advanced Features:

- 🩺 Easy to use
- 🩺 Cost-effective
- 🩺 Reusable
- 🩺 Completely reusable and fully autoclavable
- 🩺 performed safely and easily
- 🩺 Good Locking System



Product Code:

| Product | Size | Code |
|---------------------------|------|-------|
| Fallopian Ring Applicator | 5 mm | 16N19 |


PCOD Needle - 16N20

We, ADVIN manufacture PCOD Needle International Quality standard. PCOD needle is used in gynecology Procedure.

PCOD needle comes with 5 MM size with 1 MM tip.

Advanced Features:

- 👉 Easy to use
- 👉 Cost-effective
- 👉 Insulated material
- 👉 Safe to use
- 👉 Sterile
- 👉 High efficiency
- 👉 Corrosion resistance



Product Code:

| Product | Size | Code |
|-----------------------------|------|---------|
| PCOD Needle | 3 MM | 16N2003 |
| PCOD Needle | 5 MM | 16N2005 |
| PCOD Needle With Electrodes | 5 MM | 16N20E |

Cusco Bivalve Self-Retaining Vaginal Speculum - 16N21

Cusco's self-retaining bivalved speculum is a surgical instrument used for vaginal and cervical examination. It has a jaw that opens up like a duck bill. It is preferred in cryosurgery because it protects the anterior and posterior vaginal wall.

Advanced Features:

- 🩺 Easy to use
- 🩺 Cost-effective
- 🩺 Reusable & Autoclavble
- 🩺 Long lasting
- 🩺 Superior Quality



Product Code:

| Product | Size | Code |
|--------------------------------|--------|--------|
| Cusco Bivalve Vaginal Speculum | Small | 16N21S |
| Cusco Bivalve Vaginal Speculum | Medium | 16N21M |
| Cusco Bivalve Vaginal Speculum | Large | 16N21L |

Plastic Vaginal Speculums – 16N22

A vaginal speculum is a tool that doctors use during pelvic Examination. Made of metal or plastic, it's hinged and shaped like a duck's bill. vaginal speculums to spread and hold open your vaginal walls during a Surgery.


Advanced Features:

- 🩺 High quality, reliable, sterile
- 🩺 Superior Quality
- 🩺 Easy to use
- 🩺 Rounded design
- 🩺 Smooth Finishing



Product Code:

| Product | Size | Code |
|---------------------------|------|-------|
| Plastic Vaginal Speculums | | 16N22 |



Laparoscopic Aspiration Needle – 15C25

Laparoscopic Aspiration Needle Used for either laparoscopic aspiration or injection.

Advanced Features:

- 👉 Fine needle
- 👉 Smooth Surface
- 👉 Made in High Grade Material
- 👉 Autocavable



Product Code:

| Product | Size | Code |
|---|------|---------|
| Laparoscopic Aspiration Needle | 3 MM | 15C25AA |
| Laparoscopic Aspiration Needle | 5 MM | 15C25AB |
| Laparoscopic Aspiration Needle With Cannula | 5 MM | 15C25AC |



Gynaecology Aspiration Kit – 16N24

Aspiration to remove uterine contents through the cervix. It may be used as a method of induced abortion, a therapeutic procedure used after miscarriage, or a procedure to obtain a sample for endometrial biopsy. The rate of infection is lower than any other surgical abortion procedure at 0.5%

Advanced Features:

- 🩺 Aspiration Kit is used in Aspiration Procedure
- 🩺 It is made of medical grade material
- 🩺 MTP syringe, Karman Cannula, lubricating Oil in Kit
- 🩺 Smooth Surface Karman Canuula



Product Code:

| Product | Size | Code |
|----------------------------|------|-------|
| Gynaecology Aspiration Kit | | 16N24 |

Infant Resuscitation Kit - 16N25

Infant silicone manual resuscitator, silicone face mask, silicone airways, foot suction, laryngoscope & kit bag.

Infant Resuscitator

- 👉 Autoclavable & Reusable
- 👉 Non rebreathing valve
- 👉 Pressure release valve
- 👉 360° Rotatable patient connector
- 👉 PVC corrugated open oxygen reservoir
- 👉 1.5 meter tubing



Silicone Face Mask

- 👉 Autoclavable & Reusable
- 👉 Size 00 & 01

Silicone Airway

- 👉 Autoclavable & Reusable
- 👉 Airway size 000, 00 & 0

Foot suction

- 👉 Compact, Lightweight, easy to use
- 👉 Durable & long Lasting
- 👉 Polycarbonate jar with lid

Laryngoscope

- 👉 Stainless steel Blade
- 👉 Penlight Handle

Product Code:

| Product | Size | Code |
|---------------------------------|------|-------|
| Infant Resuscitation Kit | | 16N25 |

Infantometer – 04E07

Advin health care Provides Infantometer with international quality standards. infantometer An instrument for measuring the size of children.

Advanced Features:

- 🩺 Sleek Broad Broad Acrylic Base With One Sliding Side Adjustable As Per Length Of Baby
- 🩺 Dual Scale For Direct Reading In cms / Inches Up to 90 cm
- 🩺 Simple to Use
- 🩺 Easy to carry
- 🩺 Folding Sides For Easy Storage



Product Code:

| Product | Size | Code |
|--------------|------|-------|
| Infantometer | - | 04E07 |

Pregnancy Test Kit - 16001

A pregnancy kit usually comprises of a standard pregnancy stick test which may come with a small container or dropper depending on the brand purchased.

A pregnancy test detects the presence of human Chorionic Gonadotrophin (HCG), also known as the pregnancy hormone, which is found in the urine of a pregnant woman.

Advanced Features:

- 👉 High accuracy
- 👉 Each containing pregnancy test, dropper for urine and dessicant
- 👉 The most reliable, convenient and easy-to-use
- 👉 One step rapid test
- 👉 HCG strip test is provided in 50 test pack and each pack contains individually pouched test strip. Each pouch has printed / illustrated test procedure and interpretation on the back side.
- 👉 It has shelf life of 24 months from date of manufacturing if stored at 2-30°C. Test is easy to use and visual results can be obtained within 5 minutes.



Product Code:

| Product | Size | Code |
|--------------------|------|-------|
| Pregnancy Test Kit | | 16001 |

Latex Gynecology Gloves - 16002

These gloves are made from natural rubber latex and is longer than the normal surgical gloves. These gloves gives an excellent barrier protection due to its extra length preventing cross contamination.

Gloves for gynecological procedures comes as either sterile or non-sterile and packed in pairs for single use and every pair contains one glove shaped for the left hand & one glove shaped for the right hand and this ensure the highest level of comfort.

Advanced Features:

- 👉 Skin-friendly
- 👉 Recommended for maternity, gynecology, orthopaedics, surgical or general medical use
- 👉 The latex is thicker than that used in surgical weight gloves, providing greater resistance to tears and punctures whilst retaining sensitivity and flexibility
- 👉 Made in High quality Natural rubber latex



Product Code:

| Product | Size | Code |
|--------------------------|--------|--------|
| Latex Gynaecology Gloves | Small | 16002S |
| Latex Gynaecology Gloves | Medium | 16002M |
| Latex Gynaecology Gloves | Large | 16003L |

Cord Clamp - 16003

The umbilical cord clamp is a medical device used to hold the cord in place when the cut (surgery) is made, and the clamp may stay on for several days while the remaining cord attached to the baby dries.

This product is manufactured from non-toxic medical grade polymer, biologically tested and meant for single use.

Advanced Features:

- 👉 Umbilical Cord Clamp is used for clamping the umbilical cord of newly born baby
- 👉 Permanent locking system protect against the reopening of the clamp
- 👉 Sterile, non-toxic and pyrogen free
- 👉 Finger grip ensures safe




Product Code:

| Product | Size | Code |
|------------|------|-------|
| Cord Clamp | | 16003 |

Female Incontinence Mesh – 16004

Surgical mesh is used to help repair pelvic organ prolapse (POP) and stress urinary incontinence (SUI) in women. In pelvic organ prolapse, the pelvic organs may shift downward and bulge out of the vagina.



Technical Specification:

| Specification | |
|------------------------------|----------------------------------|
| Burst Strength | 162 psi |
| Thickness | 0.59 mm |
| Pore Size | 1.3 x 1.0 mm |
| Break Strength | MD 118 (ibs/in) CMD 111 (ibs/in) |
| Break elongation % | MD 107 CMD 175 |
| Monofilament Diameter | 0.15 mm |
| Weight | 100 gms/m ² |

Product Code:

| Product | Size | Code |
|---------------------------------|------|-------|
| Female Incontinence Mesh | | 16004 |

IUI (Intrauterine insemination) Catheter – 16005

IUI (intrauterine insemination) Catheter is used to deliver washed spermatozoa past the cervical mucus barrier into the uterine cavity and thereby increase the sperm concentration at the site of fertilization.

Advanced Features

- ☺ Smooth and rounded tip for easy insertion
- ☺ Sterile & single use only
- ☺ Outer surface is marked in 1 cm segments
- ☺ Standard luer lock
- ☺ Double side eyes and rounded tip
- ☺ O.D. 2.0mm Shaft & 1.66 mm Distal
- ☺ I.D. 1.07 mm



Product Code:

| Product | Size | Code |
|-----------------------------|------|---------------------|
| IUI Catheter | 6 Fr | 1600506-(len)-(S/C) |
| IUI Catheter | 8 Fr | 1600508-(len)-(S/C) |
| IUI Catheter – Lateral Open | 6 Fr | 1600606-(len)-(S/C) |
| IUI Catheter – Lateral Open | 8 Fr | 1600608-(len)-(S/C) |

- Straight for Add suffix = 'S'
- Curved for Add Suffix = 'C'
- Length = 9 / 11 / 17 cm
- For Example, IUI Catheter – Lateral Open Straight – 6 Fr x 11 cm: 1600606-11-S

Embryo Transfer Catheter – 16007

Embryo Transfer Catheter used to transfer embryo to the uterus. Embryo transfer catheter also used to place in Vitro Fertilized embryos into uterine cavity.

Advanced Features

- 🩺 Inner catheter tip is soft
- 🩺 Outer sheath & inner catheter on marking
- 🩺 Stylet for outer sheath
- 🩺 Sterile & Single use only
- 🩺 Soft loading catheter to minimalize trauma
- 🩺 Handle with luer lock for a more secure fitting to syringes



Product Code:

| Product | Size | Code |
|--------------------------|--------------|---------------------|
| Embryo Transfer catheter | 8 Fr x 21 cm | 1600708-(len)-(S/C) |

HSG (Hysterosalpingogram) Catheter – 16008

HSG catheter is an X –ray procedure that is used to view the inside of the uterus and fallopian tubes. It is also used to see if the fallopian tubes are partly or fully blocked. HSG catheter is balloon catheter, insertion sheath and syringe.

Advanced Features

- 👉 Tip is soft
- 👉 Smooth & Flexible
- 👉 Contrast path tap
- 👉 Strong Balloon
- 👉 Sterile & Single use only



Product Code:

| Product | Size | Code |
|--------------|------|---------|
| HCG catheter | 5 Fr | 1600805 |
| HCG catheter | 7 Fr | 1600807 |

Advin Health Care

Fallopian Tube Recanalization Catheter – 16009

Fallopian Tube Recanalization catheter & guide wire system is used to proximal tubal obstructions.

The recanalization procedure is simple for interventional radiologists to perform and is successfully completed in most patients.


Advanced Features

- 👉 Smooth and rounded tip for easy insertion
- 👉 Sterile & single use only
- 👉 Marking on catheter
- 👉 Malleable stylet



Product Code:

| Product | Size | Code |
|--|------|---------|
| Fallopian Tube Recanalization Catheter | 5 Fr | 1600905 |



Fallopian Tube Recanalization Kit – 16010

Fallopian Tube Recanalization Kit & guide wire system is used to proximal tubal obstructions.

The recanalization procedure is simple for interventional radiologists to perform and is successfully completed in most patients.

Advanced Features

- 👉 Smooth and rounded tip for easy insertion
- 👉 Sterile & single use only
- 👉 Marking on catheter
- 👉 Malleable stylet



Product Code:

| Product | Size | Code |
|-----------------------------------|------|---------|
| Fallopian Tube Recanalization Kit | 5 Fr | 1601005 |

Advin Health Care

SSG Catheter – 16O11

Sonosalpingography (SSG) also known as Sion test, is a diagnostic procedure primarily used for evaluating patency of fallopian tubes.


Advanced Features

- 👉 Smooth and rounded tip for easy insertion
- 👉 Sterile & single use only
- 👉 Highly radiopaque visibility is too high
- 👉 Biocompatible raw material which suitable for human body
- 👉 Marking on catheter



Product Code:

| Product | Size | Code |
|--------------|--------------|---------|
| SSG Catheter | 5 Fr x 40 cm | 16O1105 |



SS



EXPORT MORE THAN
85 COUNTRIES



JOIN OUR
GLOBAL NETWORK



exports@advinhealthcare.com



www.advinhealthcare.com
www.advinurology.com



+91 7600 72 72 50